ELSEVIER

Neuroscience Letters 271 (1999) 210–213

Neuroscience Letters

Author Index to Volume 271

Abboud, F.M., see Bielefeldt, K., 159
Abe, H., see Namihira, M., 1
Achermann, P., see Roth, C., 139
Ahn, Y.M., see Oh, S.W., 101
Alberghina, M., see Anfuso, C.D., 151
Alvarez, J., see Iñiguez, A., 205, 206
Andres, A., see Villegas, J., 93
Anfuso, C.D., Lupo, G., Alberghina, M., Amyloid β but not bradykinin induces phosphatidylcholine hydrolysis in immortalized rat brain endothelial cells, 151
Arai, H., see Shibata, N., 132
Asano, Y., see Nakagawa, Y., 105
Atienza, M., see Cantero, J.L., 167
Aubert, M., see Feuvrier, E., 121
Awatsu, N., see Nakagawa, Y., 105
Ayar, A., Storer, C., Tatham, E.L., Scott, R.H., The effects of changing intracellular Ca^{2+} buffering on the excitability of cultured dorsal root ganglion neurones, 171

Banner, S.E., see Smith, M.I., 61
Barcenilla, B., see Jiménez-Jiménez, F.J., 33
Bayer, T.A., Buslei, R., Havas, L., Falkai, P., Evidence for activation of microglia in patients with psychiatric illnesses, 126
Benham, C.D., see Caeser, M., 57
Berbel, A., see Jiménez-Jiménez, F.J., 33
Bidmon, H.-J., see Mehl, M., 187
Bielefeldt, K., Whiteis, C.A., Chapleau, M.W., Abboud, F.M., Nitric oxide enhances slow inactivation of voltage-dependent sodium currents in rat nodose neurons, 159
Bigl, V., see Roßner, S., 97
Blank, R., Heizer, W., von Voß, H., Externally guided control of static grip forces by visual feedback – age and task effects in 3–6-year old children and in adults, 41
Bloy, C., see Mattei, C., 183
Bolwig, T.G., see Madsen, T.M., 21
Borbély, A.A., see Roth, C., 139
Bravo, G., Larios, F., Rojas-Martínez, R., Hong, E., Salazar, L.A., Guízar-Sahagún, G., Early changes in nitric oxide synthase activity in atrial intramural arteries following experimental spinal cord injury in rats, 37
Brismar, T., see Hansson, T., 29
Buslei, R., see Bayer, T.A., 126
Butterworth, R.F., see Hazell, A.S., 5

Caeser, M., Evans, M.L., Benham, C.D., Lack of effect of the novel anticonvulsant SB-204269 on voltage-dependent currents in neurones cultured from rat hippocampus, 57
Cantero, J.L., Atienza, M., Salas, R.M., Gómez, C.M., Alpha EEG coherence in different brain states: an electrophysiological index of the arousal level in human subjects, 167
Cha, J.-H., see Lee, M.-Y., 81
Chapleau, M.W., see Bielefeldt, K., 159
Chiu, H.-J., see Tsai, S.-J., 135
Choi, Y.-S., see Lee, M.-Y., 81
Chun, M.-H., see Lee, M.-Y., 81
Clegg, J.C.S., see Haynes, L.W., 155
Cooke, S., Grant, G., McLauchlan, C., Lotto, R.B., Price, D.J., Basic fibroblast growth factor promotes subplate cell survival in explant cultures of embryonic mouse cortex, 143
Coulombe, M.G., see Manos, P., 179
Crespo, D., see Villegas, J., 93
Cui, Y., Zhang, L., Utsunomiya, K., Yanase, H., Mitani, A., Kataoka, K., Ischemia-induced glutamate release in the dentate gyrus. A microdialysis study in the gerbil, 191
Cvetkovic, V., see Michel, V., 195

Davis, F.C., see Duffy, J.F., 77
de Bustos, F., see Jiménez-Jiménez, F.J., 33
Desjardins, P., see Hazell, A.S., 5
Ding, Y.-Q., Wang, D., Xu, J.-Q., Ju, G., Direct projections from the medial preoptic area to spinally-projecting neurons in Barrington's nucleus: an electron microscope study in the rat, 175
Dong, Y.-F., Tang, J.-S., Yuan, B., Jia, H., Morphine applied to the thalamic nucleus submedius produces a naloxone reversible antinociceptive effect in the rat, 17
Dringen, R., see Mehl, M., 187
Duelli, R., Maurer, M.H. Heiland, S., Elste, V., Kuschinsky, W., Brain water content, glucose transporter densities and glucose utilization after 3 days of water deprivation in the rat, 13
Duffy, J.F., Viswanathan, N., Davis, F.C., Free-running circadian period does not shorten with age in female Syrian hamsters, 77

Elste, V., see Duelli, R., 13
Endo, T., see Muto, Y., 69
Esiri, M.M., see Smith, M.Z., 45
Evans, M.L., see Caeser, M., 57

Falkai, P., see Bayer, T.A., 126
Farrer, L.A., see Korovaitseva, G.I., 129
Fernández-López, A., see Revilla, V., 9
Fernández-Vivancos, E., see Jiménez-Jiménez, F.J., 33
Feuvrier, E., Aubert, M., Malaval, F., Szafarczyk, A., Gaillet, S., Opposite regulation by glucocorticoids of the α_{1B}- and α_{2A}-adrenoreceptor mRNA levels in rat cultured anterior hypothalamic slices, 121
Finch, C.E., see Grewal, R.P., 65

PII: S0304-3940(99)00586-8

Fooks, A.R., see Haynes, L.W., 155
Fujita, T., Kishida, T., Okada, N., Ganapathy, V., Leibach, F.H., Yamamoto, A., Interaction of kyotorphin and brain peptide transporter in synaptosomes prepared from rat cerebellum: implication of high affinity type H^+/peptide transporter PEPT2 mediated transport system, 117
Funase, K., Miles, T.S., Gooden, B.R., Trial-to-trial fluctuations in H-reflexes and motor evoked potentials in human wrist flexor, 25

Gaillet, S., see Feuvrier, E., 121
Galimbet, V., see Korovaitseva, G.I., 129
Ganapathy, V., see Fujita, T., 117
Gavrilova, S.I., see Korovaitseva, G.I., 129
Gómez, C.M., see Cantero, J.L., 167
Gómez-Escalonilla, C., see Jiménez-Jiménez, F.J., 33
Gooden, B.R., see Funase, K., 25
Grant, G., see Cooke, S., 143
Grewal, R.P., Morgan, T.E., Finch, C.E., C1qB and clusterin mRNA increase in association with neurodegeneration in sporadic amyotrophic lateral sclerosis, 65
Grigorenko, A., see Korovaitseva, G.I., 129
Guízar-Sahagún, G., see Bravo, G., 37
Gürtler, S., see Sörös, P., 89

Hansson, T., Brismar, T., Tactile stimulation of the hand causes bilateral cortical activation: a functional magnetic resonance study in humans, 29
Hari, R., Valta, M., Uutela, K., Prolonged attentional dwell time in dyslexic adults, 202
Hasegawa, M., see Iijima, N., 113
Hauber, W., Lutz, S., Blockade of dopamine D_2, but not of D_1 receptors in the rat globus pallidus induced Fos-like immunoreactivity in the caudate-putamenm substantia nigra and entopeduncular nucleus, 73
Havas, L., see Bayer, T.A., 126
Hayashi, S., see Iijima, N., 113
Hayashi, T., see Muto, Y., 69
Haynes, L.W., Schmitz, S., Clegg, J.C.S., Fooks, A.R., Expression of neurofilament L-promoter green-fluorescent protein constructs in immortalized Schwann cell-neuron coculture, 155
Hazell, A.S., Desjardins, P., Butterworth, R.F., Chronic exposure of rat primary astrocyte cultures to manganese results in increased binding sites for the 'peripheral-type' benzodiazepine receptor ligand ^{3}H-PK 11195, 5
Heiland, S., see Duelli, R., 13
Heizer, W., see Blank, R., 41
Henningsen, H., see Sörös, P., 89
Hernánz, A., see Jiménez-Jiménez, F.J., 33
Higashi, Y., see Muto, Y., 69
Hilbig, H., see Mehl, M., 187
Hong, C.-J., see Tsai, S.-J., 135
Hong, E., see Bravo, G., 37
Honma, K.-i., see Namihira, M., 1
Honma, S., see Namihira, M., 1

Ibata, Y., see Iijima, N., 113
Iijima, N., Tamada, Y., Hayashi, S., Tanaka, M., Ishihara, A., Hasegawa, M., Ibata, Y., Expanded expression of heme oxygenase-1 (HO-1) in the hypothalamic median eminence of aged as compared with young rats: an immunocytochemical study, 113
Ikeda, M., see Namihira, M., 1
Ikeda, S. R., Jeong, S.-W., Kammermeier, P.J., Ruiz-Velasco, V., King, M.M., Heterologous expression of a green fluorescent protein–pertussis toxin S1 subunit fusion construct disrupts calcium channel modulation in rat superior cervical ganglion neurons, 163
Ikemoto, K., Kitahama, K., Maeda, T., Jouvet, M., Nagatsu, I., Cholinergic neurons with monoamine oxidase type B (MAOB)-activity in the laterodorsal tegmental nucleus of the mouse, 53
Imai, T., see Sörös, P., 89
Iñiguez, A., Alvarez, J., Erratum to 'Isolated axons of Wld^s mice regrow centralward' [Neurosci. Lett. 268/2 (1999) 108–110], 205
Iñiguez, A., Alvarez, J., Isolated axons of Wld^s mice regrow centralward, 206
Ishihara, A., see Iijima, N., 113
Israël, M., see Mattei, C., 183

Jeong, S.-W., see Ikeda, S. R., 163
Jia, H., see Dong, Y.-F., 17
Jiménez-Jiménez, F.J., Molina, J.A., Hernánz, A., Fernández-Vivancos, E., de Bustos, F., Barcenilla, B., Gómez-Escalonilla, C., Zurdo, M., Berbel, A., Villanueva, C., Cerebrospinal fluid levels of thiamine in patients with Parkinson's disease, 33
Joseph, X., see Mattei, C., 183
Jouvet, M., see Ikemoto, K., 53
Ju, G., see Ding, Y.-Q., 175

Kamiya, U., see Niwa, K., 109
Kammermeier, P.J., see Ikeda, S. R., 163
Kang, U.G., see Oh, S.W., 101
Kataoka, K., see Cui, Y., 191
Kawaguchi, C., see Niwa, K., 109
Kawai, F., Characterization of spontaneous excitatory synaptic currents in newt retinal bipolar cells, 49
Kennaway, D.J., see Moyer, R.W., 147
Kim, E.-J., see Lee, M.-Y., 81
Kim, S.Y., see Lee, M.-Y., 81
Kim, Y.S., see Oh, S.W., 101
King, M.M., see Ikeda, S. R., 163
Kishida, T., see Fujita, T., 117
Kitahama, K., see Ikemoto, K., 53
Knecht, S., see Sörös, P., 89
Korovaitseva, G.I., Premkumar, S., Grigorenko, A., Molyaka, Y., Galimbet, V., Selezneva, N., Gavrilova, S.I., Farrer, L.A., Rogaev, E.I., Alpha-2 macroglobulin gene in early- and late-onset Alzheimer disease, 129
Krause, B.J., see Laine, M., 85
Kuschinsky, W., see Duelli, R., 13
Kuwahira, I., see Niwa, K., 109

Laine, M., Rinne, J.O., Krause, B.J., Teräs, M., Sipilä, H., Left hemisphere activation during processing of morphologically complex word forms in adults, 85
Larios, F., see Bravo, G., 37
Lee, M.-Y., Shin, S.-L., Choi, Y.-S., Kim, E.-J., Cha, J.-H., Chun, M.-H., Lee, S.B., Kim, S.Y., Transient upregulation of osteopontin mRNA in hippocampus and striatum following global forebrain ischemia in rats, 81
Lee, S.B., see Lee, M.-Y., 81
Leibach, F.H., see Fujita, T., 117
Lotto, R.B., see Cooke, S., 143
Lupo, G., see Anfuso, C.D., 151
Lütkenhöner, B., see Sörös, P., 89
Lutz, S., see Hauber, W., 73

Ma, W., see Manos, P., 179
Madsen, T.M., Woldbye, D.P.D., Bolwig, T.G., Mikkelsen, J.D., Kainic acid seizure suppression by neuropeptide Y is not correlated to immediate early gene mRNA levels in rats, 21
Maeda, T., see Ikemoto, K., 53
Malaval, F., see Feuvrier, E., 121
Manos, P., Pancrazio, J.J., Coulombe, M.G., Ma, W., Stenger, D.A., Characterization of rat spinal cord neurons cultured in defined media on microelectrode arrays, 179
Martinez, R., see Villegas, J., 93
Math, F., see Michel, V., 195
Mattei, C., Molgó, J., Joseph, X., Israël, M., Bloy, C., Naftazone reduces glutamate cerebro spinal fluid levels in rats and glutamate release from mouse cerebellum synaptosomes, 183
Maurer, M.H. see Duelli, R., 13
McLauchlan, C., see Cooke, S., 143
Mehl, M., Bidmon, H.-J., Hilbig, H., Zilles, K., Dringen, R., Ullrich, V., Prostacyclin synthase is localized in rat, bovine and human neuronal brain cells, 187
Michel, V., Monnier, Z., Cvetkovic, V., Math, F., Organotypic culture of neuroepithelium attached to olfactory bulb from adult mouse as a tool to study neuronal regeneration after $ZnSO_4$ neuroepithelial trauma, 195
Mikkelsen, J.D., see Madsen, T.M., 21
Miles, T.S., see Funase, K., 25
Mitani, A., see Cui, Y., 191
Molgó, J., see Mattei, C., 183
Molina, J.A., see Jiménez-Jiménez, F.J., 33
Molyaka, Y., see Korovaitseva, G.I., 129
Monnier, Z., see Michel, V., 195
Morgan, T.E., see Grewal, R.P., 65
Moyer, R.W., Kennaway, D.J., Immunohistochemical localization of serotonin receptors in the rat suprachiasmatic nucleus, 147
Muto, Y., Hayashi, T., Higashi, Y., Endo, T., Yamamoto, T., Sato, K., Age-related decrease in brain-derived neurotrophic factor gene expression in the brain of the zitter rat with genetic spongiform encephalopathy, 69

Nagatsu, I., see Ikemoto, K., 53
Nagy, Zs., see Smith, M.Z., 45
Nakagawa, Y., Asano, Y., Awatsu, N., Sawada, M., Nakano, K., Enhanced Fos expression in the hippocampus of El mice after short-term vestibular stimulation, 105
Nakano, K., see Nakagawa, Y., 105
Namihira, M., Honma, S., Abe, H., Tanahashi, Y., Ikeda, M., Honma, K.-i., Circadian rhythms and light responsiveness of mammalian clock gene, *Clock* and *BMAL1*, transcripts in the rat retina, 1
Niwa, K., Takizawa, S., Kawaguchi, C., Kamiya, U., Kuwahira, I., Shinohara, Y., Expression of inducible nitric oxide synthase immunoreactivity in rat brain following chronic hypoxia: effect of aminoguanidine, 109

Oh, S.W., Ahn, Y.M., Kang, U.G., Kim, Y.S., Park, J.-B., Differential activation of c-Jun N-terminal protein kinase and p38 in rat hippocampus and cerebellum after electroconvulsive shock, 101
Ohnuma, T., see Shibata, N., 132
Ohtsuka, E., see Shibata, N., 132
Okada, N., see Fujita, T., 117

Pancrazio, J.J., see Manos, P., 179
Park, J.-B., see Oh, S.W., 101
Perez-Polo, J.R., see Roßner, S., 97
Premkumar, S., see Korovaitseva, G.I., 129
Price, D.J., see Cooke, S., 143
Puil, E., see Schwarz, S.K.W., 209

Revilla, R., see Revilla, V., 9
Revilla, V., Revilla, R., Fernández-López, A., A comparative study of the β-adrenoceptors in higher song nuclei of birds, 9
Ringelstein, E.B., see Sörös, P., 89
Rinne, J.O., see Laine, M., 85
Roßner, S., Ueberham, U., Schliebs, R., Perez-Polo, J.R., Bigl, V., Regulated secretion of amyloid precursor protein by TrkA receptor stimulation in rat pheochromocytoma-12 cells is mitogen activated protein kinase sensitive, 97
Rogaev, E.I., see Korovaitseva, G.I., 129
Rojas-Martínez, R., see Bravo, G., 37
Roth, C., Achermann, P., Borbély, A.A., Frequency and state specific hemispheric asymmetries in the human sleep EEG, 139
Ruiz-Velasco, V., see Ikeda, S. R., 163

Salas, R.M., see Cantero, J.L., 167
Salazar, L.A., see Bravo, G., 37
Sanger, G.J., see Smith, M.I., 61
Sato, K., see Muto, Y., 69
Sawada, M., see Nakagawa, Y., 105
Schliebs, R., see Roßner, S., 97
Schmitz, S., see Haynes, L.W., 155
Schwarz, S.K.W., Puil, E., Erratum to 'Lidocaine produces a shunt in thalamocortical neurons unaffected by $GABA_A$ receptor blockade in rats' [Neurosci. Lett. 269/1 (1999) 25–28], 209
Scott, R.H., see Ayar, A., 171
Selezneva, N., see Korovaitseva, G.I., 129
Shibata, N., Ohnuma, T., Takahashi, T., Ohtsuka, E., Ueki, A., Arai, H., Genetic association between alpha-2 macroglobulin and Japanese sporadic Alzheimer's disease, 132
Shin, S.-L., see Lee, M.-Y., 81
Shinohara, Y., see Niwa, K., 109
Sipilä, H., see Laine, M., 85
Smith, M.I., Banner, S.E., Sanger, G.J., 5-HT_4 receptor antagonism potentiates inhibition of intestinal allodynia by 5-HT_3 receptor antagonism in conscious rats, 61
Smith, M.Z., Nagy, Zs., Esiri, M.M., Cell cycle-related protein expression in vascular dementia and Alzheimer's disease, 45
Sörös, P., Knecht, S., Imai, T., Gürtler, S., Lütkenhöner, B., Ringelstein, E.B., Henningsen, H., Cortical asymmetries of the human somatosensory hand representation in right- and left-handers, 89
Stenger, D.A., see Manos, P., 179
Storer, C., see Ayar, A., 171
Szafarczyk, A., see Feuvrier, E., 121

Takahashi, T., see Shibata, N., 132
Takizawa, S., see Niwa, K., 109
Tamada, Y., see Iijima, N., 113
Tanahashi, Y., see Namihira, M., 1
Tanaka, M., see Iijima, N., 113
Tang, J.-S., see Dong, Y.-F., 17
Tatham, E.L., see Ayar, A., 171
Teräs, M., see Laine, M., 85
Tsai, S.-J., Chiu, H.-J., Wang, Y.-C., Hong, C.-J., Association study of sertonin-6 receptor variant (C267T) with schizophrenia and aggressive behavior, 135

Ueberham, U., see Roßner, S., 97
Ueki, A., see Shibata, N., 132
Ullrich, V., see Mehl, M., 187
Utsunomiya, K., see Cui, Y., 191
Uutela, K., see Hari, R., 202

Valta, M., see Hari, R., 202
Villanueva, C., see Jiménez-Jiménez, F.J., 33
Villegas, J., Martinez, R., Andres, A., Crespo, D., Accumulation of mercury in neurosecretory neurons of mice after long-term exposure to oral mercuric chloride, 93
Viswanathan, N., see Duffy, J.F., 77
von Voß, H., see Blank, R., 41

Wang, D., see Ding, Y.-Q., 175
Wang, Y.-C., see Tsai, S.-J., 135
Whiteis, C.A., see Bielefeldt, K., 159
Woldbye, D.P.D., see Madsen, T.M., 21

Xu, J.-Q., see Ding, Y.-Q., 175

Yamamoto, A., see Fujita, T., 117
Yamamoto, T., see Muto, Y., 69
Yanase, H., see Cui, Y., 191
Yonehara, N., Yoshimura, M., Effect of nitric oxide on substance P release from the peripheral endings of primary afferent neurons, 199
Yoshimura, M., see Yonehara, N., 199
Yuan, B., see Dong, Y.-F., 17

Zhang, L., see Cui, Y., 191
Zilles, K., see Mehl, M., 187
Zurdo, M., see Jiménez-Jiménez, F.J., 33